

Serial No. 09/687,662
Page 2

IN THE CLAIMS

Please consider the claims as follows:

1. (currently amended) A method for providing interactive program guide (IPG) to a terminal, the method comprising:
broadcasting a plurality of IPG pages including program listings associated with at least one time slot to said terminal;
receiving a request message from the terminal for at least one a requested IPG page, including program listings associated with at least one different time slot from the broadcasted IPG pages wherein the requested IPG page includes a guide portion specific to the page;
encoding at least the guide portion of the requested IPG page;
assigning the encoded IPG page with a particular packet identifier (PID); and
sending the encoded IPG page a limited number of times in response to receiving the request message.
2. (original) The method of claim 1, wherein the encoded IPG page is sent once in response to receiving the request message.
3. (original) The method of claim 1, further comprising:
waiting for an acknowledgement indicating that the requested IPG page has been received; and
upon receiving the acknowledgement, terminating the sending of the encoded IPG page.
4. (original) The method of claim 1, wherein the encoded IPG page is sent once initially in response to receiving the request message, the method further comprising:

Serial No. 09/687,662

Page 3

waiting for an acknowledgement indicating that the requested IPG page has been received; and

if the acknowledgement is not received within a particular time period, resending the encoded IPG page a limited number of times.

5. (original) The method of claim 4, wherein the encoded IPG page is resent once in response to not receiving the acknowledgement within the particular time period.

6. (original) The method of claim 1, wherein the encoded IPG page is sent once initially in response to receiving the request message, the method further comprising:

receiving another request message from the terminal for the requested IPG page; and

resending the encoded IPG page a limited number of times in response to receiving another request message.

7. (original) The method of claim 1, wherein the particular PID used for the requested IPG page is a PID assigned to the terminal for IPG delivery.

8. (original) The method of claim 1, further comprising: signaling to the terminal the identity of the particular PID used for the requested IPG page.

9. (original) The method of claim 8, wherein the signaling is achieved via an in-band channel.

10. (original) The method of claim 8, wherein the signaling is achieved via an out-of-band channel.

Serial No. 09/687,662

Page 4

11. (original) The method of claim 1, wherein the particular PID used for the requested IPG page is computed based on a particular computation scheme.

12. (original) The method of claim 1, wherein the particular PID used for the requested IPG page is a PID assigned to the terminal for a duration of a communication session with the terminal.

13. (currently amended) A method for regenerating interactive program guide (IPG) at a terminal, the method comprising:

broadcasting a plurality of IPG pages including program listings associated with at least one time slot to said terminal;

receiving a request for a particular IPG page having included therein a guide portion specific to the page, said particular IPG page not being one of said broadcasted IPG pages;

sending a request message to a head-end for the requested IPG page;
receiving a transmission of at least the guide portion of the requested IPG page, wherein the requested IPG page is transmitted a limited number of times in response to the request message; and

regenerating at least the guide portion of the requested IPG page from the received transmission.

14. (original) The method of claim 13, further comprising:
sending an acknowledgement to the head-end upon receiving the transmission for the requested IPG page.

15. (original) The method of claim 13, further comprising:
prior to receiving the transmission for the requested IPG page, and if the requested IPG page is not received within a particular time period after sending the request message, resending the request message to the head-end for the requested IPG page.

Serial No. 09/687,662

Page 5

16. (original) The method of claim 13, wherein the transmission is assigned a particular packet identifier (PID).

17. (original) The method of claim 16, wherein the particular PID used for the transmission is a PID assigned to the terminal for IPG delivery.

18. (original) The method of claim 16, further comprising:
receiving a message indicating the particular PID assigned for the transmission of the requested IPG page.

19. (currently amended) A system for providing program data, comprising:
a video encoder operative to encode broadcasted program guide pages and at least a guide portion of a requested interactive program guide (IPG) page page, and respectively generate a broadcast guide stream and a requested guide stream, wherein the requested guide stream includes a limited number of encoded pages for the requested IPG page not included in said broadcast guide stream;
a transport multiplexer coupled to the video encoder and operative to receive and multiplex the broadcast guide stream and the requested guide stream into a transport stream; and
a modulator coupled to the transport multiplexer and operative to receive the transport stream and generate an output signal suitable for transmission.

20. (original) The system of claim 19, further comprising:
a session manager operative to receive a request message for the requested IPG page and direct the transport multiplexer to multiplex the requested guide stream into the transport stream.

21. (original) The system of claim 20, wherein the session manager is further operative to receive an acknowledgement indicating that the requested IPG

Serial No. 09/687,662
Page 6

page has been received and, in response, direct the transport multiplexer to stop multiplexing the requested guide stream into the transport stream.

22. Canceled

23. Canceled

24. Canceled